Your Guide to Using the Relapse Prevention Toolkit

Practical Strategies for Long-Term Recovery

1. Early Warning Signs

Recognizing triggers and early warning signs can prevent setbacks in recovery. Common indicators include:

- Withdrawing from social connections
- Romanticizing past substance use
- Mood swings or irritability
- Neglecting self-care and hygiene
- Skipping therapy or support meetings

External triggers—like certain people, places, or situations—can also prompt relapse. Relapse is often a gradual process with distinct stages, and identifying these patterns early is key to maintaining long-term recovery.

2. Understanding Risk Factors

Understanding risk factors helps build awareness and prevention strategies. Common risk factors include psychological stress, lack of support, or reliance on unhealthy coping mechanisms. Early recovery is a particularly vulnerable period, making it crucial to strengthen emotional resilience and mindfulness.

Mindfulness-based relapse prevention and cognitive-behavioral techniques can reduce cravings and stress while improving emotional awareness. Creating a personalized relapse prevention plan that includes journaling, mindfulness, and healthy relationship-building supports long-term success.

Support systems—such as group therapy, peer support, and programs like Alcoholics Anonymous or SMART Recovery—offer accountability and encouragement to sustain recovery.

3. Daily Recovery Habits

Consistent, positive habits promote balance and emotional stability.

- Journaling thoughts and progress
- Practicing mindfulness or meditation
- Maintaining a balanced diet and exercise routine
- Attending support group meetings
- Setting daily and long-term goals

These practices support overall wellness and create structure, helping individuals build a fulfilling life in recovery.

4. Coping Tools & Strategies

Healthy coping tools help manage triggers and cravings.

- Deep breathing or grounding techniques
- Reaching out to a sponsor or therapist
- Engaging in creative outlets (art, music, writing)
- Taking a walk or short break
- Using positive affirmations

Mindfulness and sensory grounding can help redirect focus during difficult moments. Practicing these tools consistently strengthens relapse prevention skills over time.

5. Support Network Map

Maintaining strong connections supports accountability and motivation.

- Therapist or counselor
- Sponsor or peer mentor
- Family and trusted friends
- Alumni or recovery community

Avoid individuals or environments that may trigger cravings or negative habits.

6. Crisis Plan

Be prepared for moments of high risk with a clear plan.

- Keep a list of emergency contacts
- Identify safe people and places to reach out to
- Have your clinician's contact information ready
- National Helpline: **SAMHSA 1-800-662-HELP (4357)**
- Keep naloxone available if there's any risk of opioid use

In a crisis, seek immediate support from professionals or trusted contacts. Avoid substance use, as it increases risk and interferes with recovery progress.

California Prime Recovery | Evidence-Based Care. Lasting Recovery.
Call **844-349-0077** | californiaprimerecovery.com